Remove the building blocks of the front door as shown in the picture, take the light bar with 1X6 units out of the package, and install it as shown in the picture




2.3. Connect the 1X2 unit light bar and another line up as shown



5. Restore some of the blocks as shown in the picture, and hide the line in the position shown in the picture



7.Install the 1X2 light bar under the black piece in the removed building block



9. Restore the blocks and organize the wiring harness



10.

11. Remove the sector blocks as shown




12.

13. Install 1 yellow lamp as shown in the picture



13.

14. Restore the blocks with yellow light particles and thread them as shown in the picture



- 16. The same is true for the right side of the lamp. After installation, arrange the wiring harness, and do not install the remaining line first.
- 17. The same is true for the right side of the lamp. After installation, tidy up the wiring harness, and do not install the remaining one.





19. Install the interior light bar on the first floor and install it at the bottom of the second floor



21. Install the interior light bar on the second floor and install it at the bottom of the third floor




23. Install the interior light bar on the third floor, and install it at the bottom of the cover plate on the third floor


22.




24. Remove the blocks as shown



26. Install the exterior light bar that was not installed before, as shown in the figure




27. Restoration Blocks




28.



29. Install the light bar as shown




30. Restore the building blocks, be careful not to break the line when restoring




31.

32. Install the last light bar




34. o restore the building blocks, be careful not to break the line when restoring

33.



36. Arrange the lower back harness



37. 38.

